Listing of Claims:

- 1. (Currently Amended): A composition comprising a carbon-based bound diazenium diolate compound attached to at least one phenyl-containing polymer, wherein said polymer comprises a polymer backbone and said phenyl is either pendant from the backbone of said polymer or part of the backbone of said polymer, and wherein said compound is not an imidate or a thioimidate.
- 2. (Currently Amended): A composition comprising a carbon-based bound diazenium diolate compound attached to a phenyl-containing polymer, wherein said composition releases NO under physiological conditions, and wherein said compound does not generate nitrosamines under physiologic conditions.
- 3. (Currently Amended): A composition comprising a carbon-based bound diazenium diolate compound attached to at least one phenyl-containing polymer, and having the formula:

$$R^3-C(R^1)_x(N_2O_2R^2)_y$$

wherein x is an integer from 0 to 2 and y is an integer from 1 to 3, and the sum of x plus y equals 3;

wherein R¹ is not an imidate or thioimidate selected from the group consisting of an electron withdrawing group, a cyano group, an ether, a thioether, and a non-enamine amine;

wherein R^2 is selected from the group consisting of a countercation and a protecting group on <u>a</u> the terminal oxygen; and

wherein R³ is a phenyl of said phenyl-containing polymer.

4. (Currently Amended): A composition comprising a carbon-based bound diazenium diolate compound attached to at least one phenyl-containing polymer that comprises a polymer backbone, wherein the phenyl of said phenyl-containing polymer is pendant from the backbone of said polymer, and wherein said composition has the following general formula:

wherein R¹ not an imidate or thioimidate; and

wherein R² is selected from the group consisting of a countercation and a protecting group on the terminal oxygen.

5. (Withdrawn and Currently Amended): A composition comprising a carbon-based-bound diazenium diolate compound attached to at least one phenyl-containing polymer that comprises a polymer backbone, wherein the phenyl of said phenyl-containing polymer is part of said polymer backbone, and wherein said composition has the following general formula:

Polymer¹ Polymer²

$$R^{1} - C - N_{2}O_{2}R^{2}$$

$$N_{2}O_{2}R^{2}$$

wherein R¹ not an imidate or thioimidate;

wherein R^2 is selected from the group consisting of a countercation and a protecting group on the terminal oxygen; and

wherein Polymer¹ and Polymer² can be the same or different.

- 6. (Previously Presented): The composition of claim 2, wherein said phenyl is either pendant from the backbone of said polymer or part of the backbone of said polymer.
- 7. (Previously Presented): The composition of claim 1, wherein said phenyl is pendant from the backbone of said polymer.
- 8. (Withdrawn): The composition of claim 4, wherein the phenyl is a substituted phenyl.
- 9. (Withdrawn): The composition of claim 8, wherein the phenyl is substituted with one or more moieties selected from the group consisting of aliphatic, aromatic, and non-aromatic cyclic groups.
- 10. (Withdrawn): The composition of claim 8, wherein the phenyl is substituted with one or more moieties selected from the group consisting of mono-or di-substituted amino, unsubstituted amino, ammonium, alkoxy, acetoxy, aryloxy, acetamide, aldehyde, benzyl, cyano, nitro, thio, sulfonic, vinyl, carboxyl, nitroso, trihalosilane, trialkylsilane, trialkylsiloxane, trialkoxysilane, diazeniumdiolate, hydroxyl, halogen, trihalomethyl, ketone, benzyl, and alkylthio.
- 11. (Previously Presented): The composition of claim 4, wherein the phenyl is incorporated in a multi-ring system.
- 12. (Original): The composition of claim 11, wherein the multi-ring system is selected from the group consisting of acridine, anthracene, benzazapine, benzodioxepin, benzothiadiazapine, carbazole, cinnoline, fluorescein, isoquinoline, naphthalene, phenanthrene, phenanthradine, phenazine, phthalazine, quinoline, and quinoxaline.

13. (Cancelled):

14. (Withdrawn): The composition of claim 13, wherein the ether is selected from the group consisting of-OCH₃, -OC₂H₅, and-OSi(CH₃)₃.

- 15. (Withdrawn): The composition of claim 13, wherein the thioether is selected from the group consisting of-SC₂H₅, a substituted-SPh, and an unsubstituted -SPh.
- 16. (Withdrawn): The composition of claim 13, wherein the amine is a tertiary amine.
 - 17. (Withdrawn): The composition of claim 13, wherein the amine is $-N(C_2H_5)_2$.
- 18. (Previously Presented): The composition of claim 3, wherein R² is a countercation selected from the group consisting of alkali metals, group IIa metals, transition metals, and group Ib elements.
- 19. (Withdrawn): The composition of claim 3, wherein R² is a countercation selected from the group consisting of ammonium and other quaternary amines.
- 20. (Withdrawn): The composition of claim 3, wherein R² is a protecting group selected from the group consisting of aryl, sulfonyl, glycosyl, acyl, alkyl and olefinic groups.
- 21. (Withdrawn): The composition of claim 20, wherein said aryl group is 2,4-dinitrophenyl.
- 22. (Withdrawn): The composition of claim 20, wherein said alkyl group is selected from the group consisting of saturated alkyl, unsaturated alkyl, and functionalized alkyl.
- 23. (Withdrawn): The composition of claim 22, wherein said functionalized alkyl is selected from the group consisting of 2-bromoethyl, 2-hydroxypropyl, 2-hydroxyethyl and S-acetyl-2-mercaptoethyl.
- 24. (Withdrawn): The composition of claim 20, wherein said alkyl group is a vinyl group.
- 25. (Previously Presented): The composition of claim 1, wherein said polymer is selected from the group consisting of polyalkylates, polyarylates, polyamides,

polyesters, polycarbonates, polyetherimides, polyimides, polyketones, styrene resins, and copolymers and combinations thereof.

- 26. (Original): The composition of claim 25, wherein said styrene resin is selected from the group consisting of acrylonitrile butadiene styrene terpolymer, acrylonitrile chlorinated polyethylene-styrene terpolymer, acrylic styrene acrylonitrile terpolymer, styrene acrylonitrile copolymers, olefin modified styrene acrylonitrile copolymers, and styrene butadiene copolymers.
- 27. (Withdrawn): The composition of claim 25, wherein said polyamide polymer is selected from the group consisting of polyacrylamide, poly [4,4'-methylenebis (phenyl isocyanate) -alt-1,4-butanediol/di (propylene glycol)/polycaprolactone], poly [4,4'-methylenebis (phenyl isocyanate)-alt-1, 4-butanediol/poly (butylene adipate)], poly [4,4'-methylenebis (phenyl isocyanate)-alt-1, 4-butanediol/poly (ethylene glycol-co-propylene glycol)/polycaprolactone], poly [4,4'-methylenebis (phenyl isocyanate)-alt-1, 4-butanediol/polytetrahydrofuran], terephthalic acid and isophthalic acid derivatives of aromatic polyamides, poly (imin-1, 4-phenyleneiminocarbonyl- 1,4-phenylenecarbonyl), poly (m-phenylene isophthalamide), poly (p-benzamide), poly (trimethylhexamethylene terephthalatamide), poly-m- xylyene adipamide, poly (meta-phenylene isophthalamide), and copolymers and combinations thereof.
- 28. (Currently Amended): The composition of claim 1, wherein said polymer is selected from the group consisting of polystyrene, poly (α-methylstyrene), poly (4-methylstyrene), polyvinyltoluene, polyvinyl stearate, polyvinylpyrrolidone, poly (4-vinylpyridine), poly (4-vinylphenol), poly (1-vinylnaphthalene), poly (2-vinylnaphthalene), poly (vinyl methyl ketone), poly (vinylidene fluoride), poly (vinylbenzyl chloride), polyvinyl alcohol, poly (vinyl acetate), poly (4-vinylbiphenyl), poly (9-vinylcarbazole), poly (2-vinylpyridine), poly (4-vinylpyridine), polybutadiene, polybutene, poly (butyl acrylate), poly (1, 4-butylene adipate), poly (1, 4-butylene terephthalate), poly (ethylene terephthalate), poly (ethylene succinate), poly (butyl methacrylate), poly (ethylene oxide), polychloroprene, polyethylene, polytetrafluoroethylene, polyvinylchloride, polypropylene, polydimethylsiloxane, polyacrylonitrile, polyaniline, polysulfone, polyethylene glycol,

polypropylene glycol, polyacrylic acid, polyallylamine, poly (benzyl methacrylate), derivatized polyolefins such as polyethylenimine, poly (ethyl methacrylate), polyisobutylene, poly (isobutyl methacrylate), polyisoprene, poly (DL-lactide), poly (methyl methacrylate), polypyrrole, poly (carbonate urethane), poly [di (ethylene glycol) adipate], polyepichlorohydrin, phenolic resins (novolacs and resoles), poly (ethyl acrylate), and combinations thereof; including grafts and copolymerizations and wherein

the polymer is a graft polymer or a co-polymer.

- 29. (Withdrawn): The composition of claim 1, wherein said polymer is selected from the group consisting of silanes and siloxanes.
- 30. (Withdrawn): The composition of claim 29, wherein said siloxane is derived from an alkoxysilane or trihalosilane.
- 31. (Withdrawn): The composition of claim 1, wherein said polymer is a biodegradable polymer.
- 32. (Withdrawn): The composition of claim 31, wherein said biodegradable polymer is selected from the group consisting of polylactic acid, polyglycolic acid, poly (ϵ -caprolactone), copolymers thereof and combinations thereof.
- 33. (Withdrawn): The composition of claim 5, wherein Polymer¹ and Polymer² are independently selected from the group consisting of polybutylene terephthalate, polytrimethylene terephthalate, and polycyclohexylenedimethylene terephthalate.
- 34. (Withdrawn): The composition of claim 5, wherein one or both of Polymer¹ and Polymer² is an aramide.
- 35. (Withdrawn): The composition of claim 34, wherein said aramide is selected from the group consisting of poly (p-phenylene terephthalamide) and poly (m-phenylene isophthalamide).

- 36. (Withdrawn): The composition of claim 5, wherein Polymer¹ and Polymer² are polyethylene terephthalate.
- 37. (Currently Amended): A system for localized release of nitric oxide to a target site, the system comprising:

a phenyl-containing polymer;

a carbon-based bound diazenium diolate nitric oxide donor molecule that is not an imidate or thio imidate; and wherein

means for covalently linking the nitric oxide donor molecule is linked to the polymer to produce a carbon-based bound diazenium diolate moiety;

whereby decomposition of the carbon-based <u>bound</u> diazeniumdiolate moiety to produce nitric oxide occurs under physiological conditions and does not produce a nitrosamine from the donor molecule.

- 38. (Withdrawn): A method for delivering bacteriostatic or bacteriocidal quantities of NO to a mammalian tissue comprising exposing said tissue to a nitric oxide-releasing polymeric composition.
- 39. (Withdrawn): A method of delivering nitric oxide to a perfused organ, the method comprising:

contacting a quantity of perfusate with a nitric oxide-releasing polymeric composition within a perfusion system being used to perfuse the organ; and

releasing sufficient quantities of nitric oxide from said nitric oxide-releasing polymeric composition into the perfusate to affect the biochemistry and/or physiology of the perfused organ.

40. (Withdrawn): A method for delivering bacteriostatic or bacteriocidal quantities of NO to a mammalian tissue comprising exposing said tissue to a nitric oxide-releasing polymeric composition, wherein said nitric oxide-releasing polymeric composition is the composition of claim 1.

- 41. (Withdrawn): A method of reducing or eliminating a pathogen in stored human platelets comprising including sufficient quantities of a nitric oxide-releasing polymeric composition in a platelet storage container such that bacteriostatic and/or bacteriocidal levels of nitric oxide are delivered to the platelets by release of the nitric oxide from the polymeric composition.
- 42. (Withdrawn): A method for storing blood platelets that prevents platelet activation in a platelet suspension, comprising including sufficient quantities of a nitric oxide-releasing polymeric composition in a container used for storing a platelet suspension, wherein contact between the platelet suspension and the polymeric composition produces sufficient nitric oxide to inhibit platelet activation.
- 43. (Withdrawn): A method for preventing activation of platelet suspensions comprising including sufficient quantities of a nitric oxide-releasing polymeric composition in a container used to contain a platelet suspension, wherein contact between the platelet suspension and the polymeric composition produces sufficient nitric oxide to inhibit platelet activation.
- 44. (Withdrawn): The method of claim 41, wherein said inclusion step is achieved by using a container comprising said polymeric composition, or by adding the polymeric composition to the container before during or after the platelets are introduced to the container.
- 45. (Withdrawn): A method of reducing or eliminating a pathogen in stored human platelets comprising including sufficient quantities of a nitric oxide-releasing polymeric composition in a platelet storage container such that bacteriostatic and/or bacteriocidal levels of nitric oxide are delivered to the platelets by release of the nitric oxide from the polymeric composition, wherein said nitric oxide- releasing polymeric composition is the composition of claim 1.
- 46. (Withdrawn): The method of claim 41, wherein said polymeric composition is a blend of nitric oxide-releasing polymeric compositions.

- 47. (Withdrawn): A method of treating an animal comprising introducing an effective amount of an acceptable pharmaceutical carrier and a nitric-oxide releasing polymeric composition to release a therapeutically effective amount of nitric oxide to the animal.
- 48. (Withdrawn): A method of treating an animal comprising introducing an effective amount of an acceptable pharmaceutical carrier and a nitric-oxide releasing polymeric composition to release a therapeutically effective amount of nitric oxide to the animal, wherein said nitric oxide-releasing polymeric composition is the composition of claim 1.
- 49. (Previously Presented): A medical device coating comprising a nitric oxide-releasing polymer, wherein said nitric oxide-releasing polymer is the composition of claim 1.
- 50. (Withdrawn): A medical device coating comprising a nitric oxide-releasing polymer, wherein said nitric oxide-releasing polymer is the composition of claim 29.
- 51. (Original): The medical device coating of claim 49, wherein said medical device is selected from the group consisting of vascular stents, vascular grafts, catheters, wound dressings, bandages, blood collection bags, blood component storage bags, extracorporeal membrane oxygenation (ECMO) circuits, internal monitoring devices, external monitoring devices, and a device that comes in contact with mammalian tissue *in vivo*, *in vitro*, or *ex vivo*.
- 52. (Withdrawn): A medical device, wherein all or part of the device comprises a nitric oxide- releasing polymer of claim 1.